

PROCESSED AT :
Thyrocare
Senthil Towers,1078,
Avanashi Road,
Coimbatore - 641 018

Thyrocare®

Think Thyroid. Think Thyrocare.

Corporate Office : Thyrocare Technologies Limited D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400703
☎ 022 - 3090 0000 / 4125 2525 📞 8691866066 ✉ wellness@thyrocare.com 🌐 www.thyrocare.com

REPORT

NAME : REENA (35Y/F)

REF. BY : SELF

TEST ASKED : FERR,IRON DEFICIENCY PROFILE,T3-T4-TSH


SAMPLE COLLECTED AT :

(34310),NANMA HITECH LABORATORY,RAILWAY STN ROAD,
MMB COMPLEX, TANUR PO, NEAR KERALA GRAMIN
BANK,MALAPPURAM(DIST),KERALA,676302

TEST NAME	TECHNOLOGY	VALUE	UNITS
IRON Reference Range : Male : 65 - 175 Female : 50 - 170 Method : Ferrozine method without deproteinization	PHOTOMETRY	24	µg/dl
TOTAL IRON BINDING CAPACITY (TIBC) Reference Range : Male: 225 - 535 µg/dl Female: 215 - 535 µg/dl Method : Spectrophotometric Assay	PHOTOMETRY	430	µg/dl
% TRANSFERRIN SATURATION Reference Range : 13 - 45 Method : Derived from IRON and TIBC values	CALCULATED	6	%
FERRITIN Reference Range : Men: 22-322 ng/ml Women: 10-291 ng/ml Method : Fully Automated Bidirectionally Interfaced Chemi Luminescent Immuno Assay	C.L.I.A	7.6	ng/ml

Please correlate with clinical conditions.

Sample Collected on (SCT) : 09 Apr 2018 15:55
Sample Received on (SRT) : 10 Apr 2018 00:48
Report Released on (RRT) : 10 Apr 2018 02:23
Sample Type : SERUM
Labcode : 090438143/34310
Barcode : H4387263



Dr.Subramaniam MD



Dr.Caesar Sengupta MD

PROCESSED AT :**Thyrocare**

Senthil Towers,1078,
Avanashi Road,
Coimbatore - 641 018

Thyrocare®

Think Thyroid. Think Thyrocare.

Corporate Office : Thyrocare Technologies Limited D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400703
☎ 022 - 3090 0000 / 4125 2525 ☎ 8691866066 ✉ wellness@thyrocare.com 🌐 www.thyrocare.com

REPORT

NAME : REENA (35Y/F)
REF. BY : SELF
TEST ASKED : FERR,IRON DEFICIENCY PROFILE,T3-T4-TSH

SAMPLE COLLECTED AT :
(34310),NANMA HITECH LABORATORY,RAILWAY STN ROAD,
MMB COMPLEX, TANUR PO, NEAR KERALA GRAMIN
BANK,MALAPPURAM(DIST),KERALA,676302

TEST NAME	TECHNOLOGY	VALUE	UNITS	REFERENCE RANGE
TOTAL TRIIODOTHYRONINE (T3)	C.L.I.A	76	ng/dl	60-200
TOTAL THYROXINE (T4)	C.L.I.A	8.8	µg/dl	4.5-12
THYROID STIMULATING HORMONE (TSH)	C.L.I.A	13.76	µIU/ml	0.3-5.5

Comments : IF NOT ON DRUGS SUGGESTED FT3 & FT4 ESTIMATION

Please correlate with clinical conditions.

Method :

T3 - Competitive Chemi Luminescent Immuno Assay

T4 - Competitive Chemi Luminescent Immuno Assay

TSH - ULTRA SENSITIVE SANDWICH CHEMI LUMINESCENT IMMUNO ASSAY

Pregnancy reference ranges for TSH

1st Trimester : 0.10 - 2.50

2nd Trimester : 0.20 - 3.00


3rd Trimester : 0.30 - 3.00

Reference:

Guidelines of American Thyroid Association for the Diagnosis and Management of Thyroid Disease During Pregnancy and Postpartum, Thyroid, 2011, 21; 1-46

~~ End of report ~~

Sample Collected on (SCT) : 09 Apr 2018 15:55
Sample Received on (SRT) : 10 Apr 2018 00:48
Report Released on (RRT) : 10 Apr 2018 02:23
Sample Type : SERUM
Labcode : 090438143/34310
Barcode : H4387263



Dr.Subramaniam MD



Dr.Caesar Sengupta MD